



Kadenwood Brands
<https://selectmylevel.com>,
 Order #: 77380
 Retail Batch #: 2212004

CERTIFICATE OF ANALYSIS
 ISO/IEC: 17025:2017 Accreditation #:
 103104
 License #: CMTL-0004

Order Information

Order #: 77380
 Order Name: Level Select Sports Roll-on Level
 3 1800mg
 Retail Batch #: 2212004
 Received: 03/01/2023 10:43:53
 Complete: 03/06/2023 17:08:23

Batch Information

Create Date: 12/31/2022
 Exp. Date: 12/31/2024
 Size: 0
 Total Qty.: 0
 Matrix: Lotion/Salve/Balm
 Pickup Weight: N/A

CANNABINOID PROFILE TESTED	LABEL CLAIM PASS	MICROBIAL ANALYSIS PASS
RESIDUAL SOLVENTS PASS	AGRICULTURAL AGENTS PASS	HEAVY METAL ANALYSIS PASS
TERPENES NOT TESTED	MOISTURE ANALYSIS NOT TESTED	WATER ACTIVITY NOT TESTED
FILTH & FOREIGN MATERIAL ANALYSIS PASS	HOMOGENEITY NOT TESTED	MYCOTOXIN ANALYSIS PASS



0.000 %
Total THC

2.703 %
Total CBD

2.954 %
Total Cannabinoids

Diana Asensio, M.S.

Lab Director

Florida

4001 SW 47th Avenue, Suite 208
 Davie, FL 33314
 (954) 514-9343



CERTIFICATE OF ANALYSIS

ISO/IEC: 17025:2017 Accreditation #: 103104
License #: CMTL-0004



Kadenwood Brands
https://selectmylevel.com,
Order #: 77380
Retail Batch #: 2212004

Sample Prep

Tech: 3975
SOP: 418
Batch Number: 58771
Batch Date: 03/01/2023 11:42:26

Sample Analysis

Date/Time: 03/02/2023 14:39:31
Tech: 3396
SOP: 417
Final Weight: 0.2009 g
Volume: 40 ml

CANNABINOID PROFILE

HPLC-DAD

ND Total THC	ND THC Per Unit	ND THC Per Pkg
2.7031 % Total CBD	1892.170 mg CBD Per Unit	1892.170 mg CBD Per Pkg
2.954 % Total Cannabinoids	2067.590 mg Cannabinoids Per Unit	2067.590 mg Cannabinoids Per Pkg

Cannabinoid Potency


ANALYTE	LOD/LOQ (mg/g)	DIL.	WEIGHT %	MG/G	MG/UNIT	MG/PACKAGE	LABEL CLAIM (mg)	% LABEL VAR.
CBC	0.064/0.1954	1	0.0313	0.313	21.910	21.910	--	--
CBD	0.064/0.1954	1	2.7031	27.031	1892.170	1892.170	1800	5.1
CBDA	0.064/0.1954	1	ND	ND	ND	ND	--	--
CBDV	0.064/0.1954	1	<LOQ	<LOQ	<LOQ	<LOQ	--	--
CBG	0.064/0.1954	1	0.1562	1.562	109.340	109.340	--	--
CBGA	0.064/0.1954	1	ND	ND	ND	ND	--	--
CBN	0.064/0.1954	1	0.0631	0.631	44.170	44.170	--	--
d8-THC	0.064/0.1954	1	ND	ND	ND	ND	--	--
d9-THC	0.064/0.1954	1	ND	ND	ND	ND	--	--
THCA	0.064/0.1954	1	ND	ND	ND	ND	--	--
THCV	0.064/0.1954	1	ND	ND	ND	ND	--	--

mg/unit = 70 (g) per unit x cannabinoid concentration (mg/g)
For inhalation derivative products, Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

CANNABINOID TOTALS	WEIGHT %	MG/G	MG/UNIT	MG/PACKAGE
Total THC	ND	ND	ND	ND
Total CBD	2.7031	27.031	1892.170	1892.170
Total Cannabinoids	2.9537	29.537	2067.590	2067.590

Diana Asensio, M.S.

Lab Director



Florida

4001 SW 47th Avenue, Suite 208
Davie, FL 33314
(954) 514-9343





Kadenwood Brands
<https://selectmylevel.com>
 Order #: 77380
 Retail Batch #: 2212004

CERTIFICATE OF ANALYSIS

ISO/IEC: 17025:2017 Accreditation #:
 103104
 License #: CMTL-0004

Agricultural Agents

GC-MS/MS

PASS

Sample Prep

Tech: 3975
 SOP: 402
 Batch Number: 58772
 Batch Date: 03/01/2023 11:45:02

Sample Analysis

Date/Time: 03/02/2023 12:05:53
 Tech: 3445
 SOP: 402
 Final Weight: 0.5163 g
 Volume: 10 ml

ANALYTE	LOD/LOQ (ppm)	DIL.	ACTION LEVEL (ppm)	RESULTS (ppm)
Captan	0.07/0.1	1	3	ND
Chlordane	0.01/0.1	1	0.1	ND
Chlorfenapyr	0.01/0.1	1	0.1	ND
Coumaphos	0.01/0.1	1	0.1	ND
Cyfluthrin	0.01/0.1	1	1	ND
Cypermethrin	0.01/0.1	1	1	ND
Methyl parathion	0.01/0.1	1	0.1	ND
Pentachloronitrobenzene	0.01/0.1	1	0.2	ND

MYCOTOXIN ANALYSIS

LC-MS/MS

PASS

Sample Prep

Tech: 3975
 SOP: 432
 Batch Number: 58773
 Batch Date: 03/01/2023 11:47:10

Sample Analysis

Date/Time: 03/03/2023 16:16:05
 Tech: 3445
 SOP: 424
 Final Weight: 0.505 g
 Volume: 5 ml

ANALYTE	LOD/LOQ (ppb)	DIL.	ACTION LEVEL (ppb)	RESULTS (ppb)
Aflatoxin B1	2/10	2	20	ND
Aflatoxin B2	2/10	2	20	ND
Aflatoxin G1	2/10	2	20	ND
Aflatoxin G2	2/5	2	20	ND
Ochratoxin A	2/10	2	20	ND

Diana Asensio, M.S.

Lab Director



Florida

4001 SW 47th Avenue, Suite 208
 Davie, FL 33314
 (954) 514-9343



CERTIFICATE OF ANALYSIS

ISO/IEC: 17025:2017 Accreditation #: 103104
License #: CMTL-0004



Kadenwood Brands
https://selectmylevel.com,
Order #: 77380
Retail Batch #: 2212004

Agricultural Agents

LC-MS/MS

PASS

Sample Prep

Tech: 3975
SOP: 432
Batch Number: 58773
Batch Date: 03/01/2023 11:47:10

Sample Analysis

Date/Time: 03/03/2023 16:16:05
Tech: 3445
SOP: 424
Final Weight: 0.505 g
Volume: 5 ml

ANALYTE	LOD/LOQ (ppm)	DIL.	ACTION LEVEL (ppm)	RESULTS (ppm)	ANALYTE	LOD/LOQ (ppm)	DIL.	ACTION LIMIT (ppm)	RESULTS (ppm)
Abamectin B1a	0.002/0.035	2	0.3	ND	Imazalil	0.002/0.01	2	0.1	ND
Acephate	0.002/0.04	2	3	ND	Imidacloprid	0.002/0.002	2	3	ND
Acequinocyl	0.002/0.002	2	2	ND	Kresoxim-methyl	0.002/0.002	2	1	ND
Acetamiprid	0.002/0.002	2	3	ND	Malathion	0.01/0.04	2	2	ND
Aldicarb	0.002/0.01	2	0.1	ND	Metalaxyl	0.002/0.004	2	3	ND
Azoxystrobin	0.002/0.04	2	3	ND	Methiocarb	0.002/0.01	2	0.1	ND
Bifenazate	0.002/0.002	2	3	ND	Methomyl	0.002/0.002	2	0.1	ND
Bifenthrin	0.002/0.002	2	0.5	0.003	Mevinphos	0.009/0.036	2	0.1	ND
Boscalid	0.01/0.05	2	3	ND	Myclobutanil	0.002/0.04	2	3	ND
Carbaryl	0.002/0.004	2	0.5	ND	Naled	0.002/0.01	2	0.5	ND
Carbofuran	0.002/0.01	2	0.1	ND	Oxamyl	0.002/0.002	2	0.5	ND
Chlorantraniliprole	0.002/0.01	2	3	ND	Paclobutrazol	0.002/0.004	2	0.1	ND
Chlormequat chloride	0.002/0.004	2	3	ND	Permethrins	0.002/0.01	2	1	ND
Chlorpyrifos	0.002/0.01	2	0.1	ND	Phosmet	0.002/0.002	2	0.2	ND
Clofentezine	0.002/0.002	2	0.5	ND	Piperonyl Butoxide	0.002/0.002	2	3	ND
Daminozide	0.01/0.04	2	0.1	ND	Prallethrin	0.002/0.01	2	0.4	ND
Diazinon	0.002/0.01	2	0.2	ND	Propiconazole	0.002/0.04	2	1	ND
Dichlorvos	0.002/0.04	2	0.1	ND	Propoxur	0.002/0.01	2	0.1	ND
Dimethoate	0.002/0.002	2	0.1	ND	Pyrethrins	0.001/0.013	2	1	ND
Dimethomorph	0.001/0.002	2	3	ND	Pyridaben	0.002/0.002	2	3	ND
Ethoprophos	0.002/0.01	2	0.1	ND	Spinetoram	0.001/0.003	2	3	ND
Etofenprox	0.002/0.002	2	0.1	ND	Spinosad	0.001/0.001	2	3	ND
Etoxazole	0.002/0.002	2	1.5	ND	Spiromesifen	0.002/0.002	2	3	ND
Fenhexamid	0.01/0.04	2	3	ND	Spirotetramat	0.002/0.01	2	3	ND
Fenoxycarb	0.002/0.004	2	0.1	ND	Spiroxamine	0.002/0.04	2	0.1	ND
Fenpyroximate	0.002/0.002	2	2	ND	Tebuconazole	0.01/0.04	2	1	ND
Fipronil	0.002/0.004	2	0.1	ND	Thiacloprid	0.002/0.002	2	0.1	ND
Fonicamid	0.002/0.01	2	2	ND	Thiamethoxam	0.002/0.01	2	1	ND
Fludioxonil	0.002/0.004	2	3	ND	Trifloxystrobin	0.002/0.002	2	3	ND
Hexythiazox	0.002/0.004	2	2	ND					

Diana Asensio, M.S.

Lab Director



Florida

4001 SW 47th Avenue, Suite 208
Davie, FL 33314
(954) 514-9343





Kadenwood Brands
<https://selectmylevel.com>
 Order #: 77380
 Retail Batch #: 2212004

CERTIFICATE OF ANALYSIS
 ISO/IEC: 17025:2017 Accreditation #:
 103104
 License #: CMTL-0004

RESIDUAL SOLVENTS

HS-GC-MS

PASS

Sample Prep

Tech: 2816
 SOP: 405
 Batch Number: 58784
 Batch Date: 03/01/2023 16:37:44

Sample Analysis

Date/Time: 03/06/2023 12:32:15
 Tech: 2816
 SOP: 405
 Final Weight: 0.0509 g
 Volume: 1 ml

ANALYTE	LOD/LOQ (ppm)	DIL.	ACTION LIMIT (ppm)	RESULTS (ppm)	ANALYTE	LOD/LOQ (ppm)	DIL.	ACTION LIMIT (ppm)	RESULTS (ppm)
1,1-Dichloroethene	0.6/0.63	1	8	ND	Heptane	6/140	1	5000	ND
1,2-Dichloroethane	0.012/0.12	1	2	ND	Hexanes	0.06/18	1	250	ND
Acetone	9/140	1	750	ND	Isopropyl alcohol	3/140	1	500	<LOQ
Acetonitrile	0.72/25	1	60	<LOQ	Methanol	6/100	1	250	<LOQ
Benzene	0.06/1	1	1	ND	Methylene chloride	1.5/1.5	1	125	ND
Butane	48/50	1	5000	ND	Pentane	9/140	1	750	ND
Chloroform	0.2/1	1	2	ND	Propane	30/30	1	5000	ND
Ethanol	12/140	1	5000	<LOQ	Toluene	0.9/53	1	150	ND
Ethyl acetate	2.4/140	1	400	ND	Total xylenes	1.8/130	1	150	ND
Ethyl ether	6/140	1	500	ND	Trichloroethylene	0.3/1	1	25	ND
Ethylene oxide	0.6/2	1	5	ND					

HEAVY METAL ANALYSIS

ICP-MS

PASS

Sample Prep

Tech: 3396
 SOP: 428
 Batch Number: 58787
 Batch Date: 03/02/2023 12:06:38

Sample Analysis

Date/Time: 03/02/2023 15:00:38
 Tech: 3396
 SOP: 428
 Final Weight: 0.2951 g
 Volume: 60 ml

ANALYTE	LOD/LOQ (ppb)	DIL.	ACTION LIMIT (ppb)	RESULTS (ppb)
Arsenic	20/75	1	1500	ND
Cadmium	20/75	1	500	ND
Lead	20/75	1	500	ND
Mercury	20/75	1	3000	ND

FILTH & FOREIGN MATERIAL ANALYSIS

Result: **PASS**

Sample Prep and Analysis

Date/Time: 03/01/2023 18:58:03
 Tech: 4090
 SOP: 409
 Final Weight: 56.0941 g

Diana Asensio, M.S.

Lab Director

Florida

4001 SW 47th Avenue, Suite 208
 Davie, FL 33314
 (954) 514-9343





Kadenwood Brands
<https://selectmylevel.com>,
 Order #: 77380
 Retail Batch #: 2212004

CERTIFICATE OF ANALYSIS
 ISO/IEC: 17025:2017 Accreditation #:
 103104
 License #: CMTL-0004

MICROBIAL ANALYSIS
PASS

Sample Prep

Tech: 3975
 SOP: 406

Batch Number: 58770
 Batch Date: 03/01/2023 11:40:28

Date/Time: 03/03/2023 00:31:42
 Tech: 3358
 SOP: 406

Sample Analysis

Final Weight: 1.0128 g

ANALYTE	TEST METHOD	ALLOWABLE CRITERIA	ACTUAL RESULT	PASS/FAIL
Total yeast and mold	qPCR	NA	NOT DETECTED	PASS

Sample Prep

Tech: 3975
 SOP: 406

Batch Number: 58769
 Batch Date: 03/01/2023 11:38:55

Date/Time: 03/03/2023 16:18:58
 Tech: 3358
 SOP: 406

Sample Analysis

Final Weight: 1.0202 g

ANALYTE	TEST METHOD	ALLOWABLE CRITERIA	ACTUAL RESULT	PASS/FAIL
Pseudomonas aeruginosa	qPCR	NA	NOT DETECTED	PASS

Sample Prep

Tech: 3975
 SOP: 406

Batch Number: 58769
 Batch Date: 03/01/2023 11:38:55

Date/Time: 03/03/2023 16:18:58
 Tech: 3358
 SOP: 406


Sample Analysis

Final Weight: 1.0202 g

ANALYTE	TEST METHOD	ALLOWABLE CRITERIA	ACTUAL RESULT	PASS/FAIL
Staphylococcus aureus	qPCR	NA	NOT DETECTED	PASS

Diana Asensio, M.S.

Lab Director



Florida
 4001 SW 47th Avenue, Suite 208
 Davie, FL 33314
 (954) 514-9343





Kadenwood Brands
<https://selectmylevel.com>,
 Order #: 77380
 Retail Batch #: 2212004

CERTIFICATE OF ANALYSIS
 ISO/IEC: 17025:2017 Accreditation #:
 103104
 License #: CMTL-0004

MICROBIAL ANALYSIS

PASS

Sample Prep

Tech: 3975
 SOP: 406

Batch Number: 58769
 Batch Date: 03/01/2023 11:38:55

Sample Analysis

Date/Time: 03/03/2023 16:18:58
 Tech: 3358
 SOP: 406

Final Weight: 1.0202 g

ANALYTE	TEST METHOD	ALLOWABLE CRITERIA	ACTUAL RESULT	PASS/FAIL
Salmonella	qPCR	< 1 CFU/g	NOT DETECTED	PASS
STEC e. coli	qPCR	< 1 CFU/g	NOT DETECTED	PASS

Diana Asensio, M.S.

Lab Director



Florida

4001 SW 47th Avenue, Suite 208
 Davie, FL 33314
 (954) 514-9343





Kadenwood Brands
<https://selectmylevel.com>,
Order #: 77380
Retail Batch #: 2212004


CERTIFICATE OF ANALYSIS

ISO/IEC: 17025:2017 Accreditation #:
103104
License #: CMTL-0004

COA

Diana Asensio, M.S.

Lab Director



Florida

4001 SW 47th Avenue, Suite 208
Davie, FL 33314
(954) 514-9343



