



Kadenwood Brands
<https://selectmylevel.com>,
 Order #: 76201
 Retail Batch #: 2301002

CERTIFICATE OF ANALYSIS
 ISO/IEC: 17025:2017 Accreditation #:
 103104
 License #: CMTL-0004

Order Information

Order #: 76201
 Order Name: Level Select Mint CBD Drops
 Level 3 5000mg (FG)
 Retail Batch #: 2301002
 Received: 02/02/2023 10:24:37
 Complete: 02/06/2023 23:40:12

Batch Information

Create Date: Total Qty.: 0
 Exp. Date: Matrix: Tincture
 Size: 0 Pickup Weight: N/A

CANNABINOID PROFILE TESTED	LABEL CLAIM PASS	MICROBIAL ANALYSIS PASS
RESIDUAL SOLVENTS PASS	AGRICULTURAL AGENTS PASS	HEAVY METAL ANALYSIS PASS
TERPENES NOT TESTED	MOISTURE ANALYSIS NOT TESTED	WATER ACTIVITY NOT TESTED
FILTH & FOREIGN MATERIAL ANALYSIS PASS	HOMOGENEITY NOT TESTED	MYCOTOXIN ANALYSIS PASS



0.000 %
Total THC

9.352 %
Total CBD

10.254 %
Total Cannabinoids

Diana Asensio, M.S.

Lab Director



Florida
 4001 SW 47th Avenue, Suite 208
 Davie, FL 33314
 (954) 514-9343





Kadenwood Brands
<https://selectmylevel.com>
 Order #: 76201
 Retail Batch #: 2301002

Sample Prep

Tech: 3975
 SOP: 418
 Batch Number: 58325
 Batch Date: 02/02/2023 09:30:06

Sample Analysis

Date/Time: 02/03/2023 16:20:04
 Tech: 3396
 SOP: 417
 Final Weight: 0.2027 g
 Volume: 40 ml

CANNABINOID PROFILE

HPLC-DAD

ND Total THC	ND THC Per Unit	ND THC Per Pkg
9.352 % Total CBD	88.377 mg CBD Per Unit	5302.641 mg CBD Per Pkg
10.254 % Total Cannabinoids	96.904 mg Cannabinoids Per Unit	5814.244 mg Cannabinoids Per Pkg

Cannabinoid Potency

ANALYTE	LOD/LOQ (mg/g)	DIL.	WEIGHT %	MG/G	MG/UNIT	MG/PACKAGE	LABEL CLAIM (mg)	% LABEL VAR.
CBC	0.064/0.1954	1	0.104	1.039	0.982	58.911	--	--
CBD	0.064/0.1954	1	9.352	93.521	88.377	5302.641	5000	6.1
CBDA	0.064/0.1954	1	ND	ND	ND	ND	--	--
CBDV	0.064/0.1954	1	0.040	0.400	0.378	22.680	--	--
CBG	0.064/0.1954	1	0.546	5.459	5.159	309.525	--	--
CBGA	0.064/0.1954	1	ND	ND	ND	ND	--	--
CBN	0.064/0.1954	1	0.213	2.125	2.008	120.487	--	--
d8-THC	0.064/0.1954	1	ND	ND	ND	ND	--	--
d9-THC	0.064/0.1954	1	ND	ND	ND	ND	--	--
THCA	0.064/0.1954	1	ND	ND	ND	ND	--	--
THCV	0.064/0.1954	1	ND	ND	ND	ND	--	--

mg/unit = 1 (g) per unit x 0.945 (g/ml) x cannabinoid concentration (mg/g)
 For inhalation derivative products, Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
 ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

CANNABINOID TOTALS	WEIGHT %	MG/G	MG/UNIT	MG/PACKAGE
Total THC	ND	ND	ND	ND
Total CBD	9.352	93.521	88.377	5302.641
Total Cannabinoids	10.254	102.544	96.904	5814.244

Diana Asensio, M.S.

Lab Director

Florida

4001 SW 47th Avenue, Suite 208
 Davie, FL 33314
 (954) 514-9343





Kadenwood Brands
<https://selectmylevel.com>,
 Order #: 76201
 Retail Batch #: 2301002

CERTIFICATE OF ANALYSIS
 ISO/IEC: 17025:2017 Accreditation #:
 103104
 License #: CMTL-0004

Agricultural Agents

GC-MS/MS

PASS

Sample Prep

Tech: 2816
 SOP: 402
 Batch Number: 58318
 Batch Date: 02/01/2023 13:45:21

Sample Analysis

Date/Time: 02/03/2023 15:38:47
 Tech: 2816
 SOP: 402
 Final Weight: 0.0509 g
 Volume: 10 ml

ANALYTE	LOD/LOQ (ppm)	DIL.	ACTION LEVEL (ppm)	RESULTS (ppm)
Captan	0.07/0.1	1	3	ND
Chlordane	0.01/0.1	1	0.1	ND
Chlorfenapyr	0.01/0.1	1	0.1	ND
Coumaphos	0.01/0.1	1	0.1	ND
Cyfluthrin	0.01/0.1	1	1	ND
Cypermethrin	0.01/0.1	1	1	ND
Methyl parathion	0.01/0.1	1	0.1	ND
Pentachloronitrobenzene	0.01/0.1	1	0.2	ND

MYCOTOXIN ANALYSIS

LC-MS/MS

PASS

Sample Prep

Tech: 3975
 SOP: 432
 Batch Number: 58330
 Batch Date: 02/02/2023 11:20:58

Sample Analysis

Date/Time: 02/06/2023 14:36:51
 Tech: 3445
 SOP: 424
 Final Weight: 0.5049 g
 Volume: 5 ml

ANALYTE	LOD/LOQ (ppb)	DIL.	ACTION LEVEL (ppb)	RESULTS (ppb)
Aflatoxin B1	2/10	2	20	ND
Aflatoxin B2	2/10	2	20	ND
Aflatoxin G1	2/10	2	20	ND
Aflatoxin G2	2/5	2	20	ND
Ochratoxin A	2/10	2	20	ND

Diana Asensio, M.S.

Lab Director



Florida

4001 SW 47th Avenue, Suite 208
 Davie, FL 33314
 (954) 514-9343



CERTIFICATE OF ANALYSIS

ISO/IEC: 17025:2017 Accreditation #:

103104

License #: CMTL-0004



Kadenwood Brands
<https://selectmylevel.com>,
 Order #: 76201
 Retail Batch #: 2301002

Agricultural Agents

LC-MS/MS

PASS

Sample Prep

Tech: 3975
 SOP: 432
 Batch Number: 58330
 Batch Date: 02/02/2023 11:20:58


Sample Analysis

Date/Time: 02/06/2023 14:36:51
 Tech: 3445
 SOP: 424
 Final Weight: 0.5049 g
 Volume: 5 ml

ANALYTE	LOD/LOQ (ppm)	DIL.	ACTION LEVEL (ppm)	RESULTS (ppm)	ANALYTE	LOD/LOQ (ppm)	DIL.	ACTION LIMIT (ppm)	RESULTS (ppm)
Abamectin B1a	0.002/0.035	2	0.3	ND	Imazalil	0.002/0.01	2	0.1	ND
Acephate	0.002/0.04	2	3	ND	Imidacloprid	0.002/0.002	2	3	ND
Acequinocyl	0.002/0.002	2	2	ND	Kresoxim-methyl	0.002/0.002	2	1	ND
Acetamiprid	0.002/0.002	2	3	ND	Malathion	0.01/0.04	2	2	ND
Aldicarb	0.002/0.01	2	0.1	ND	Metalaxyl	0.002/0.004	2	3	ND
Azoxystrobin	0.002/0.04	2	3	ND	Methiocarb	0.002/0.01	2	0.1	ND
Bifenazate	0.002/0.002	2	3	ND	Methomyl	0.002/0.002	2	0.1	ND
Bifenthrin	0.002/0.002	2	0.5	ND	Mevinphos	0.009/0.036	2	0.1	ND
Boscalid	0.01/0.05	2	3	ND	Myclobutanil	0.002/0.04	2	3	ND
Carbaryl	0.002/0.004	2	0.5	ND	Naled	0.002/0.01	2	0.5	ND
Carbofuran	0.002/0.01	2	0.1	ND	Oxamyl	0.002/0.002	2	0.5	ND
Chlorantraniliprole	0.002/0.01	2	3	ND	Paclobutrazol	0.002/0.004	2	0.1	ND
Chlormequat chloride	0.002/0.004	2	3	ND	Permethrins	0.002/0.01	2	1	ND
Chlorpyrifos	0.002/0.01	2	0.1	ND	Phosmet	0.002/0.002	2	0.2	ND
Clofentezine	0.002/0.002	2	0.5	ND	Piperonyl Butoxide	0.002/0.002	2	3	ND
Daminozide	0.01/0.04	2	0.1	ND	Prallethrin	0.002/0.01	2	0.4	ND
Diazinon	0.002/0.01	2	0.2	ND	Propiconazole	0.002/0.04	2	1	ND
Dichlorvos	0.002/0.04	2	0.1	ND	Propoxur	0.002/0.01	2	0.1	ND
Dimethoate	0.002/0.002	2	0.1	ND	Pyrethrins	0.001/0.013	2	1	ND
Dimethomorph	0.001/0.002	2	3	ND	Pyridaben	0.002/0.002	2	3	ND
Ethoprophos	0.002/0.01	2	0.1	ND	Spinetoram	0.001/0.003	2	3	ND
Etofenprox	0.002/0.002	2	0.1	ND	Spinosad	0.001/0.001	2	3	ND
Etoxazole	0.002/0.002	2	1.5	ND	Spiromesifen	0.002/0.002	2	3	ND
Fenhexamid	0.01/0.04	2	3	ND	Spirotetramat	0.002/0.01	2	3	ND
Fenoxycarb	0.002/0.004	2	0.1	ND	Spiroxamine	0.002/0.04	2	0.1	ND
Fenpyroximate	0.002/0.002	2	2	ND	Tebuconazole	0.01/0.04	2	1	ND
Fipronil	0.002/0.004	2	0.1	ND	Thiacloprid	0.002/0.002	2	0.1	ND
Fonicamid	0.002/0.01	2	2	ND	Thiamethoxam	0.002/0.01	2	1	ND
Fludioxonil	0.002/0.004	2	3	ND	Trifloxystrobin	0.002/0.002	2	3	ND
Hexythiazox	0.002/0.004	2	2	ND					

Diana Asensio, M.S.

Lab Director



Florida

4001 SW 47th Avenue, Suite 208
 Davie, FL 33314
 (954) 514-9343





Kadenwood Brands
<https://selectmylevel.com>,
 Order #: 76201
 Retail Batch #: 2301002

CERTIFICATE OF ANALYSIS
 ISO/IEC: 17025:2017 Accreditation #:
 103104
 License #: CMTL-0004

RESIDUAL SOLVENTS

HS-GC-MS

PASS

Sample Prep

Tech: 2816
 SOP: 405
 Batch Number: 58346
 Batch Date: 02/02/2023 16:34:47

Sample Analysis

Date/Time: 02/03/2023 16:16:18
 Tech: 3445
 SOP: 405
 Final Weight: 0.0519 g
 Volume: 1 ml

ANALYTE	LOD/LOQ (ppm)	DIL.	ACTION LIMIT (ppm)	RESULTS (ppm)	ANALYTE	LOD/LOQ (ppm)	DIL.	ACTION LIMIT (ppm)	RESULTS (ppm)
1,1-Dichloroethene	0.6/0.63	1	8	ND	Heptane	6/140	1	5000	ND
1,2-Dichloroethane	0.012/0.12	1	2	ND	Hexanes	0.06/18	1	250	ND
Acetone	9/140	1	750	ND	Isopropyl alcohol	3/140	1	500	<LOQ
Acetonitrile	0.72/25	1	60	<LOQ	Methanol	6/100	1	250	ND
Benzene	0.06/1	1	1	ND	Methylene chloride	1.5/1.5	1	125	ND
Butane	48/50	1	5000	ND	Pentane	9/140	1	750	ND
Chloroform	0.2/1	1	2	ND	Propane	30/30	1	5000	ND
Ethanol	12/140	1	5000	ND	Toluene	0.9/53	1	150	ND
Ethyl acetate	2.4/140	1	400	ND	Total xylenes	1.8/130	1	150	ND
Ethyl ether	6/140	1	500	ND	Trichloroethylene	0.3/1	1	25	ND
Ethylene oxide	0.6/2	1	5	ND					

HEAVY METAL ANALYSIS

ICP-MS

PASS

Sample Prep

Tech: 3396
 SOP: 428
 Batch Number: 58353
 Batch Date: 02/03/2023 11:20:30

Sample Analysis

Date/Time: 02/03/2023 16:47:50
 Tech: 3396
 SOP: 428
 Final Weight: 0.2394 g
 Volume: 60 ml

ANALYTE	LOD/LOQ (ppb)	DIL.	ACTION LIMIT (ppb)	RESULTS (ppb)
Arsenic	20/75	1	1500	ND
Cadmium	20/75	1	500	ND
Lead	20/75	1	500	ND
Mercury	20/75	1	3000	ND

FILTH & FOREIGN MATERIAL ANALYSIS

Result: **PASS**

Sample Prep and Analysis

Date/Time: 02/03/2023 10:09:58
 Tech: 3975
 SOP: 409
 Final Weight: 46.9084 g

Diana Asensio, M.S.

Lab Director

Florida
 4001 SW 47th Avenue, Suite 208
 Davie, FL 33314
 (954) 514-9343





Kadenwood Brands
<https://selectmylevel.com>,
 Order #: 76201
 Retail Batch #: 2301002

CERTIFICATE OF ANALYSIS
 ISO/IEC: 17025:2017 Accreditation #:
 103104
 License #: CMTL-0004

MICROBIAL ANALYSIS
PASS

Sample Prep

Tech: 3975
 SOP: 406

Batch Number: 58329
 Batch Date: 02/02/2023 11:16:19

Date/Time: 02/03/2023 16:02:33
 Tech: 3358
 SOP: 406

Sample Analysis

Final Weight: 1.0059 g

ANALYTE	TEST METHOD	ALLOWABLE CRITERIA	ACTUAL RESULT	PASS/FAIL
Total enterobacteriaceae	qPCR	NA	NOT DETECTED	PASS

Sample Prep

Tech: 3975
 SOP: 406

Batch Number: 58329
 Batch Date: 02/02/2023 11:16:19

Date/Time: 02/03/2023 16:02:33
 Tech: 3358
 SOP: 406

Sample Analysis

Final Weight: 1.0059 g

ANALYTE	TEST METHOD	ALLOWABLE CRITERIA	ACTUAL RESULT	PASS/FAIL
Total yeast and mold	qPCR	NA	NOT DETECTED	PASS

Sample Prep

Tech: 3975
 SOP: 406

Batch Number: 58329
 Batch Date: 02/02/2023 11:16:19

Date/Time: 02/03/2023 16:02:33
 Tech: 3358
 SOP: 406

Sample Analysis

Final Weight: 1.0059 g

ANALYTE	TEST METHOD	ALLOWABLE CRITERIA	ACTUAL RESULT	PASS/FAIL
Total aerobic count	qPCR	NA	NOT DETECTED	PASS

Diana Asensio, M.S.

Lab Director

Florida
 4001 SW 47th Avenue, Suite 208
 Davie, FL 33314
 (954) 514-9343





Kadenwood Brands
<https://selectmylevel.com>,
 Order #: 76201
 Retail Batch #: 2301002

CERTIFICATE OF ANALYSIS
 ISO/IEC: 17025:2017 Accreditation #:
 103104
 License #: CMTL-0004

MICROBIAL ANALYSIS

PASS

Sample Prep

Tech: 3975
 SOP: 406

Batch Number: 58328
 Batch Date: 02/02/2023 11:15:28

Sample Analysis


Date/Time: 02/06/2023 17:19:47
 Tech: 3571
 SOP: 406

Final Weight: 1.0041 g

ANALYTE	TEST METHOD	ALLOWABLE CRITERIA	ACTUAL RESULT	PASS/FAIL
Salmonella	qPCR	< 1 CFU/g	NOT DETECTED	PASS
STEC e. coli	qPCR	< 1 CFU/g	NOT DETECTED	PASS

Diana Asensio, M.S.

Lab Director



Florida

4001 SW 47th Avenue, Suite 208
 Davie, FL 33314
 (954) 514-9343





Kadenwood Brands
<https://selectmylevel.com>,
Order #: 76201
Retail Batch #: 2301002


CERTIFICATE OF ANALYSIS

ISO/IEC: 17025:2017 Accreditation #:
103104
License #: CMTL-0004



Diana Asensio, M.S.

Lab Director



Florida

4001 SW 47th Avenue, Suite 208
Davie, FL 33314
(954) 514-9343



