



4131 SW 47th AVENUE SUITE 1408
 DAVIE, FL, 33314, US
 (954) 368-7664

Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA40308010-008

Harvest/Lot ID: 2400121-A

Batch#: 2400121-A

Sample Size Received: 150 gram

Total Amount: 150 gram

Retail Product Size: 154.2698 gram

Ordered: 03/07/24

Sampled: 03/08/24

Completed: 03/12/24

Revision Date: 03/13/24

Sampling Method: SOP.T.20.010.FL

PASSED

Mar 13, 2024 | e2e Pharma

3279 E. Harbour Drive
 Phoenix, AZ, 85034, US



Pages 1 of 6


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filtration
PASSED



Water Activity
NOT TESTED



Moisture
NOT TESTED



Terpenes
NOT TESTED

MISC.

Cannabinoid

PASSED



Total THC
ND
Total THC/Container : 0.00 mg



Total CBD
0.244%
Total CBD/Container : 376.42 mg



Total Cannabinoids
0.268%
Total Cannabinoids/Container : 413.44 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	ND	ND	0.244	ND	ND	0.008	ND	0.009	ND	ND	0.007
mg/g	ND	ND	2.44	ND	ND	0.08	ND	0.09	ND	ND	0.07
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 1665, 585, 1440

Weight:
4.6984g

Extraction date:
03/11/24 11:48:52

Extracted by:
1665,3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA070339POT

Instrument Used : DA-LC-007

Analyzed Date : 03/11/24 12:22:13

Reviewed On : 03/12/24 10:35:18

Batch Date : 03/10/24 22:55:43

Dilution : 40

Reagent : 022124.R04; 122623.54; 021424.R04

Consumables : 947.109; 280670723; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164



Signature
03/12/24



Certificate of Analysis

PASSED

e2e Pharma

3279 E. Harbour Drive
Phoenix, AZ, 85034, US
Telephone: (602) 737-0077
Email: shannon.bard@e2epharmamfg.com

Sample : DA40308010-008

Harvest/Lot ID: 2400121-A

Batch# : 2400121-A

Sampled : 03/08/24

Ordered : 03/08/24

Sample Size Received : 150 gram

Total Amount : 150 gram

Completed : 03/12/24 Expires: 03/13/25

Sample Method : SOP.T.20.010.FL

Page 2 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	30	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	3	PASS	ND	PHOSMET	0.010	ppm	0.2	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	1	PASS	ND	PRALLETHRIN	0.010	ppm	0.4	PASS	ND
TOTAL SPINETORAM	0.010	ppm	3	PASS	ND	PROPICONAZOLE	0.010	ppm	1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	3	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.3	PASS	ND	PYRIDABEN	0.010	ppm	3	PASS	ND
ACEPHATE	0.010	ppm	3	PASS	ND	SPIROMESIFEN	0.010	ppm	3	PASS	ND
ACEQUINO CYL	0.010	ppm	2	PASS	ND	SPIROTETRAMAT	0.010	ppm	3	PASS	ND
ACETAMIPRID	0.010	ppm	3	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	1	PASS	ND
AZOXYSTROBIN	0.010	ppm	3	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	3	PASS	ND	THIAMETHOXAM	0.010	ppm	1	PASS	ND
BIFENTHRIN	0.010	ppm	0.5	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	3	PASS	ND
BOSCALID	0.010	ppm	3	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.2	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	CAPTAN *	0.070	PPM	3	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	3	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.050	PPM	1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 53, 1665, 1440 Weight: 1.0584g Extraction date: 03/11/24 12:31:47 Extracted by: 4056,3379 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) Analytical Batch : DA070326PES Reviewed On : 03/12/24 20:19:42 Instrument Used : DA-LCMS-003 (PES) Batch Date : 03/10/24 10:39:52 Analyzed Date : 03/11/24 12:35:04 Dilution : 250 Reagent : 030324.R03; 040423.08; 030624.R05; 030624.R03; 030624.R04; 021324.R05; 030624.R01 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219 Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
DIAZINON	0.010	ppm	3	PASS	ND	Analyzed by: 450, 585, 1665, 1440 Weight: 1.0584g Extraction date: 03/11/24 12:31:47 Extracted by: 4056,3379 Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville), SOP.T.40.151A.FL (Davie) Analytical Batch : DA070327VOL Reviewed On : 03/12/24 17:18:18 Instrument Used : DA-GCMS-001 Batch Date : 03/10/24 10:40:36 Analyzed Date : 03/11/24 15:45:42 Dilution : 250 Reagent : 030324.R03; 040423.08; 021424.R18; 021424.R19 Consumables : 326250IW; 14725401 Pipette : DA-080; DA-146; DA-218 Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
DICHLORVOS	0.010	ppm	0.1	PASS	ND						
DIMETHOATE	0.010	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND						
ETOFENPROX	0.010	ppm	0.1	PASS	ND						
ETOXAZOLE	0.010	ppm	1.5	PASS	ND						
FENHEXAMID	0.010	ppm	3	PASS	ND						
FENOXYCARB	0.010	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.010	ppm	2	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	2	PASS	ND						
FLUDIOXONIL	0.010	ppm	3	PASS	ND						
HEXYTHIAZOX	0.010	ppm	2	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.010	ppm	1	PASS	ND						
KRESOXIM-METHYL	0.010	ppm	1	PASS	ND						
MALATHION	0.010	ppm	2	PASS	ND						
METALAXYL	0.010	ppm	3	PASS	ND						
METHIACARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	3	PASS	ND						
NALED	0.010	ppm	0.5	PASS	ND						
OXAMYL	0.010	ppm	0.5	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation P/LA-
Testing 97164

Signature
03/12/24



Certificate of Analysis

PASSED

e2e Pharma

 3279 E. Harbour Drive
 Phoenix, AZ, 85034, US
 Telephone: (602) 737-0077
 Email: shannon.bard@e2epharmamfg.com

 Sample : DA40308010-008
 Harvest/Lot ID: 2400121-A
 Batch# : 2400121-A
 Sampled : 03/08/24
 Ordered : 03/08/24

 Sample Size Received : 150 gram
 Total Amount : 150 gram
 Completed : 03/12/24 Expires: 03/13/25
 Sample Method : SOP.T.20.010.FL

Page 3 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
ACETONE	75.000	ppm	750	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ETHANOL	500.000	ppm		TESTED	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND

Analyzed by: 850, 1665, 1440	Weight: 0.0229g	Extraction date: 03/12/24 15:45:29	Extracted by: 850
---------------------------------	--------------------	---------------------------------------	----------------------

 Analysis Method : SOP.T.40.041.FL
 Analytical Batch : DA0703425QL
 Instrument Used : DA-GCMS-003
 Analyzed Date : 03/11/24 11:29:58

 Reviewed On : 03/12/24 20:29:12
 Batch Date : 03/11/24 10:55:15

 Dilution : 1
 Reagent : N/A
 Consumables : N/A
 Pipette : N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
 Lab Director

 State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164

 Signature
 03/12/24



Certificate of Analysis

PASSED

e2e Pharma

 3279 E. Harbour Drive
 Phoenix, AZ, 85034, US
 Telephone: (602) 737-0077
 Email: shannon.bard@e2epharmamfg.com

 Sample : DA40308010-008
 Harvest/Lot ID: 2400121-A

 Batch# : 2400121-A
 Sampled : 03/08/24
 Ordered : 03/08/24

 Sample Size Received : 150 gram
 Total Amount : 150 gram
 Completed : 03/12/24 Expires: 03/13/25
 Sample Method : SOP.T.20.010.FL

Page 4 of 6

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
LISTERIA MONOCYTOGENES			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
QUANT TOTAL EC	100	CFU/g	<100	TESTED	

Analyzed by: 3390, 1665, 1440 Weight: 0.9537g Extraction date: 03/10/24 10:08:00 Extracted by: 4044
 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL
 Analytical Batch : DA070282MJC Reviewed On : 03/12/24 20:24:27
 Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems Thermocycler DA-013, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021
 Analyzed Date : N/A
 Dilution : N/A
 Reagent : 012424.31; 012424.35; 022224.R10; 083123.107
 Consumables : 7569001069
 Pipette : N/A

Analyzed by: 3390, 53, 585, 1665, 1440 Weight: 0.9537g Extraction date: 03/10/24 10:08:00 Extracted by: 4044
 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL
 Analytical Batch : DA070303TYM Reviewed On : 03/12/24 15:47:30
 Instrument Used : N/A Batch Date : 03/09/24 18:55:45
 Analyzed Date : N/A
 Dilution : N/A
 Reagent : 012424.31; 012424.35; 012524.R09
 Consumables : N/A
 Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02

Analyzed by: 3379, 53, 1665, 1440 Weight: 1.0584g Extraction date: 03/11/24 12:31:47 Extracted by: 4056,3379
 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)
 Analytical Batch : DA070328MYC Reviewed On : 03/12/24 08:38:56
 Instrument Used : N/A Batch Date : 03/10/24 10:40:48
 Analyzed Date : 03/11/24 12:35:33
 Dilution : 250
 Reagent : 030324.R03; 040423.08; 030624.R05; 030624.R03; 030624.R04; 021324.R05; 030624.R01
 Consumables : 326250IW
 Pipette : DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

	Heavy Metals	PASSED
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	5
ARSENIC	0.020	ppm	ND	PASS	1.5
CADMIUM	0.020	ppm	ND	PASS	0.5
MERCURY	0.020	ppm	ND	PASS	3
LEAD	0.020	ppm	ND	PASS	0.5

Analyzed by: 1022, 585, 1665, 1440 Weight: 0.2497g Extraction date: 03/11/24 11:14:45 Extracted by: 4306,1022
 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL
 Analytical Batch : DA070298HEA Reviewed On : 03/12/24 10:25:13
 Instrument Used : DA-ICPMS-004 Batch Date : 03/09/24 15:04:54
 Analyzed Date : 03/11/24 16:11:22
 Dilution : 50
 Reagent : 030524.R01; 031124.R06; 030424.R01; 031124.R04; 031124.R05; 030424.01; 021324.R02
 Consumables : 179436; 34623011; 210508058
 Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
 Lab Director

 State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation P/LA-
 Testing 97164



 Signature
 03/12/24



Certificate of Analysis

PASSED

e2e Pharma

3279 E. Harbour Drive
Phoenix, AZ, 85034, US
Telephone: (602) 737-0077
Email: shannon.bard@e2epharmamfg.com

Sample : DA40308010-008
Harvest/Lot ID: 2400121-A
Batch# : 2400121-A
Sampled : 03/08/24
Ordered : 03/08/24

Sample Size Received : 150 gram
Total Amount : 150 gram
Completed : 03/12/24 Expires: 03/13/25
Sample Method : SOP.T.20.010.FL

Page 5 of 6

	Filth/Foreign Material	PASSED
---	-------------------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 1665, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090	Reviewed On : 03/11/24 05:40:41
Analytical Batch : DA070340FIL	Batch Date : 03/11/24 05:21:33
Instrument Used : N/A	
Analyzed Date : 03/11/24 05:25:12	

Dilution : N/A
Reagent : N/A
Consumables : N/A
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
03/12/24



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Level Select Gummies Dynamic Recovery 375mg 30ct
Matrix : Edible
Type: Gummy



Certificate of Analysis

PASSED

e2e Pharma

3279 E. Harbour Drive
Phoenix, AZ, 85034, US
Telephone: (602) 737-0077
Email: shannon.bard@e2epharmamfg.com

Sample : DA40308010-008
Harvest/Lot ID: 2400121-A
Batch# : 2400121-A
Sampled : 03/08/24
Ordered : 03/08/24

Sample Size Received : 150 gram
Total Amount : 150 gram
Completed : 03/12/24 Expires: 03/13/25
Sample Method : SOP.T.20.010.FL

Page 6 of 6

COMMENTS

* SRF Comments

1 - Product intended for use in the Arizona market.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation P/LA-
Testing 97164

Signature
03/12/24